

## Anhang 4

# FINA Schwierigkeitsgradtabelle Turmspringen

Sprünge mit (-) sind nicht möglich und bei leeren Feldern wurde der Sprung nicht berechnet

Gültig ab 1. Oktober 2013

		10 Meter				7.5 Meter				5 Meter			
<b>Vorwärtssprünge</b>		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
101	Vorwärtskopfsprung	1.6	1.5	1.4	-	1.6	1.5	1.4	-	1.4	1.3	1.2	-
102	Vorwärtssalto	1.8	1.7	1.6	-	1.7	1.6	1.5	-	1.6	1.5	1.4	-
103	1 ½ Salto vorwärts	1.9	1.6	1.5	-	1.9	1.6	1.5	-	2.0	1.7	1.6	-
104	Doppelsalto vorwärts	2.5	2.2	2.1	-	2.4	2.1	2.0	-	2.6	2.3	2.2	-
105	2 ½ Salto vorwärts	2.7	2.3	2.1	-	-	2.4	2.2	-	-	2.6	2.4	-
106	Dreifachsalto vorwärts	-	3.0	2.7	-	-	2.8	2.5	-	-	3.2	2.9	-
107	3 ½ Salto vorwärts	-	3.0	2.7	-	-	3.1	2.8	-	-	-	3.0	-
108	Vierfachsalto vorwärts	-	4.2	3.7	-	-	-	-	-	-	-	-	-
109	4 ½ Salto vorwärts	-	4.1	3.7	-	-	-	-	-	-	-	-	-
1011	5 ½ Salto vorwärts	-	-	4.7	-	-	-	-	-	-	-	-	-
112	Fliegender Salto vorwärts	-	1.9	1.8	-	-	1.8	1.7	-	-	1.7	1.6	-
113	Fliegender 1 ½ Salto vorwärts	-	1.8	1.7	-	-	1.8	1.7	-	-	1.9	1.8	-
114	Fliegende 2 Salto vorwärts	-	2.4	2.3	-	-	2.3	2.2	-	-	2.5	2.4	-
115	Fliegender 2 ½ Salto vorwärts	-	2.6	2.4	-	-	-	2.5	-	-	-	-	-
<b>Rückwärtssprünge</b>		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
201	Kopfsprung rückwärts	1.9	1.8	1.7	-	1.9	1.8	1.7	-	1.7	1.6	1.5	-
202	Salto rückwärts	1.9	1.8	1.7	-	1.8	1.7	1.6	-	1.7	1.6	1.5	-
203	1 ½ Salto rückwärts	2.4	2.2	1.9	-	2.4	2.2	1.9	-	2.5	2.3	2.0	-
204	Doppelsalto rückwärts	2.6	2.4	2.1	-	2.5	2.3	2.0	-	-	2.5	2.2	-
205	2 ½ Salto rückwärts	3.3	2.9	2.7	-	-	3.0	2.8	-	-	-	3.0	-
206	Dreifachsalto rückwärts	-	3.0	2.7	-	-	2.8	2.5	-	-	3.2	2.9	-
207	3 ½ Salto rückwärts	-	3.6	3.3	-	-	-	3.5	-	-	-	-	-
208	Vierfachsalto rückwärts	-	4.1	3.8	-	-	4.2	3.9	-	-	4.4	4.1	-
209	4 ½ Salto rückwärts	-	4.5	4.2	-	-	-	-	-	-	-	-	-
212	Fliegender Salto rückwärts	-	1.9	1.8	-	-	1.8	1.7	-	-	1.7	1.6	-
213	Fliegender 1 ½ Salto rückwärts	-	2.4	2.1	-	-	2.4	2.1	-	-	2.5	2.2	-
215	Fliegender 2 ½ Salto rückwärts	-	3.2	3.0	-	-	-	-	-	-	-	-	-
<b>Auerbach Group</b>		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
301	Auerbachkopfsprung	2.0	1.9	1.8	-	2.0	1.9	1.8	-	1.8	1.7	1.6	-
302	Auerbachsalto	2.0	1.9	1.8	-	1.9	1.8	1.7	-	1.8	1.7	1.6	-
303	1 ½ Auerbachsalto	2.6	2.3	2.0	-	2.6	2.3	2.0	-	2.7	2.4	2.1	-
304	2 Auerbachsalto	2.8	2.5	2.2	-	2.7	2.4	2.1	-	2.9	2.6	2.3	-
305	2 ½ Auerbachsalto	3.4	3.0	2.8	-	3.5	3.1	2.9	-	-	3.3	3.1	-
306	3 Auerbachsalto	-	3.2	2.9	-	-	3.0	2.7	-	-	3.4	3.1	-
307	3 ½ Auerbachsalto	-	3.7	3.4	-	-	-	-	-	-	-	-	-
308	4 Auerbachsalto	-	4.4	4.1	-	-	4.5	4.2	-	-	-	-	-
309	4 ½ Auerbachsalto	-	4.8	4.5	-	-	-	-	-	-	-	-	-
312	Fliegender Auerbachsalto	-	2.0	1.9	-	-	1.9	1.8	-	-	1.8	1.7	-
313	Fliegender 1 ½ Auerbachsalto	-	2.5	2.2	-	-	2.5	2.2	-	-	2.6	2.3	-
<b>Delphin Group</b>		<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
401	Delphinkopfsprung	1.7	1.4	1.3	-	1.7	1.4	1.3	-	1.8	1.5	1.4	-
402	Delphinsalto	1.9	1.6	1.5	-	1.8	1.5	1.4	-	2.0	1.7	1.6	-
403	1 ½ Delphinsalto	-	2.0	1.8	-	-	2.1	1.9	-	-	2.4	2.2	-
404	2 Delphinsalto	-	2.6	2.4	-	-	2.6	2.4	-	-	3.0	2.8	-

		10 Meter				7.5 Meter				5 Meter			
Delphinsprünge		A	B	C	D	A	B	C	D	A	B	C	D
405	2 ½ Delphin 2½ Saltos	-	2.8	2.5	-	-	3.0	2.7	-	-	3.4	3.1	-
406	3 Delphinsalto	-	3.5	3.2	-	-	3.4	3.1	-	-	4.0	3.7	-
407	3 ½ Delphinsalto	-	3.5	3.2	-	-	-	3.4	-	-	-	-	-
408	4 Delphinsalto	-	4.4	4.1	-	-	-	-	-	-	-	-	-
409	4 ½ Delphinsalto	-	4.4	4.1	-	-	-	-	-	-	-	-	-
412	Fliegender Delphinsalto	-	2.0	1.9	-	-	1.9	1.8	-	-	2.1	2.0	-
413	Fliegender 1 ½ Delphinsalto	-	2.5	2.3	-	-	2.6	2.4	-	-	2.9	2.7	-
Schraubensprünge		A	B	C	D	A	B	C	D	A	B	C	D
5111	Kopfsprung vw. + ½ Schraube	2.0	1.9	1.8	-	2.0	1.9	1.8	-	1.8	1.7	1.6	-
5112	Kopfsprung vw. + 1 Schraube	2.2	2.1	-	-	2.2	2.1	-	-	2.0	1.9	-	-
5121	Salto vorwärts + ½ Schraube	-	-	-	1.9	-	-	-	1.8	-	-	-	1.7
5122	Salto vorwärts + 1 Schraube	-	-	-	2.1	-	-	-	2.0	-	-	-	1.9
5124	Salto vw. + 2 Schraubens	-	-	-	2.5	-	-	-	2.4	-	-	-	2.3
5131	1½ Salto vw. + ½ Schraube	-	-	-	1.9	-	-	-	1.9	-	-	-	2.0
5132	1½ Salto vw. + 1 Schraube	-	-	-	2.1	-	-	-	2.1	-	-	-	2.2
5134	1½ Salto vw. + 2 Schrauben	-	-	-	2.5	-	-	-	2.5	-	-	-	2.6
5136	1½ Salto vw. + 3 Schrauben	-	-	-	3.0	-	-	-	3.0	-	-	-	3.1
5138	1½ Salto vw. + 4 Schrauben	-	-	-	3.4	-	-	-	3.4	-	-	-	3.5
5152	2½ Salto vw. + 1 Schraube	-	2.9	2.7	-	-	3.0	2.8	-	-	3.2	3.0	-
5154	2½ Salto vw. + 2 Schrauben	-	3.3	3.1	-	-	3.4	3.2	-	-	3.6	3.4	-
5156	2½ Salto vw. + 3 Schrauben	-	3.8	3.6	-	-	-	-	-	-	-	-	-
5172	3½ Salto vw. + 1 Schraube	-	3.6	3.3	-	-	3.7	3.4	-	-	-	-	-
5211	Kopfsprung rw. + ½ Schraube	2.0	1.9	1.8	-	2.0	1.9	1.8	-	1.8	1.7	1.6	-
5212	Kopfsprung rw. + 1 Schraube	2.2	-	-	-	2.2	-	-	-	2.0	-	-	-
5221	Salto rückwärts + ½ Schraube	-	-	-	1.9	-	-	-	1.8	-	-	-	1.7
5222	Salto rückwärts + 1 Schraube	-	-	-	2.1	-	-	-	2.0	-	-	-	1.9
5223	Salto rückwärts + 1½ Schrauben	-	-	-	2.5	-	-	-	2.4	-	-	-	2.3
5225	Salto rückwärts + 2½ Schrauben	-	-	-	2.9	-	-	-	2.8	-	-	-	2.7
5231	1½ Salto rückwärts + ½ Schraube	-	-	-	2.0	-	-	-	2.0	-	-	-	2.1
5233	1½ Salto rw. 1½ Schrauben	-	-	-	2.4	-	-	-	2.4	-	-	-	2.5
5235	1½ Salto rw. + 2½ Schrauben	-	-	-	2.8	-	-	-	2.8	-	-	-	2.9
5237	1½ Salto rw. + 3½ Schrauben	-	-	-	3.3	-	-	-	3.3	-	-	-	3.4
5239	1½ Salto rw. + 4½ Schrauben	-	-	-	3.7	-	-	-	3.7	-	-	-	3.8
5251	2½ Salto rw. + ½ Schraube	-	2.6	2.4	-	-	2.7	2.5	-	-	2.9	2.7	-
5253	2½ Salto rw. + 1½ Schrauben	-	3.2	3.0	-	-	3.3	3.1	-	-	-	-	-
5255	2½ Salto rw + 2½ Schraubens	-	3.6	3.4	-	-	-	-	-	-	-	-	-
5257	2½ Salto rw. + 3½ Schrauben	-	4.1	3.9	-	-	-	-	-	-	-	-	-
5271	3½ Salto rückwärts + ½ Schraube	-	3.2	2.9	-	-	-	-	-	-	-	-	-
5273	3½ Salto rw. 1½ Schrauben	-	3.8	3.5	-	-	-	-	-	-	-	-	-
5275	3½ Salto rw. + 2½ Schrauben	-	4.2	3.9	-	-	-	-	-	-	-	-	-
5311	Auerbachkopfspr. + ½ Schraube	2.1	2.0	1.9	-	2.1	2.0	1.9	-	1.9	1.8	1.7	-
5312	Auerbachkopfspr. + 1 Schraube	2.3	-	-	-	2.3	-	-	-	2.1	-	-	-
5321	Auerbachsalto + ½ Schraube	-	-	-	2.0	-	-	-	1.9	-	-	-	1.8
5322	Auerbachsalto + 1 Schraube	-	-	-	2.2	-	-	-	2.1	-	-	-	2.0
5323	Auerbachsalto + 1½ Schrauben	-	-	-	2.6	-	-	-	2.5	-	-	-	2.4
5325	Auerbachsalto + 2½ Schrauben	-	-	-	3.0	-	-	-	2.9	-	-	-	2.8
5331	1 ½ Auerbachsalto + ½ Schraube	-	-	-	2.1	-	-	-	2.1	-	-	-	2.2
5333	1 ½ Auerbachsalto + 1½ Schr.	-	-	-	2.5	-	-	-	2.5	-	-	-	2.6
5335	1 ½ Auerbachsalto + 2½ Schr.	-	-	-	2.9	-	-	-	2.9	-	-	-	3.0
5337	1 ½ Auerbachsalto + 3½ Schr.	-	-	-	3.4	-	-	-	3.4	-	-	-	3.5
5339	1 ½ Auerbachsalto + 4½ Schr.	-	-	-	3.8	-	-	-	3.8	-	-	-	-
5351	2 ½ Auerbachsalto + ½ Schraube	-	2.6	2.4	-	-	2.7	2.5	-	-	2.9	2.7	-
5353	2 ½ Auerbachsalto + 1½ Schr.	-	3.3	3.1	-	-	3.4	3.2	-	-	-	3.4	-

		10 Meter				7.5 Meter				5 Meter			
Schraubensprünge		A	B	C	D	A	B	C	D	A	B	C	D
5355	2 ½ Auerbachsalto + 2½ Schr.	-	3.7	3.5	-	-	3.8	3.6	-	-	-	3.8	-
5371	3 ½ Auerbachsalto + ½ Schraube	-	3.3	3.0	-	-	-	-	-	-	-	-	-
5373	3 ½ Auerbachsalto + 1½ Schr.	-	-	3.6	-	-	-	-	-	-	-	-	-
5375	3 ½ Auerbachsalto + 2½ Schr.	-	-	4.0	-	-	-	-	-	-	-	-	-
5411	Delphinkopfsprung + ½ Schraube	1.9	1.6	1.5	-	1.9	1.6	1.5	-	2.0	1.7	1.6	-
5412	Delphinkopfsprung + 1 Schraube	2.1	1.8	1.7	-	2.1	1.8	1.7	-	2.2	1.9	1.8	-
5421	Delphinsalto + ½ Schraube	-	-	-	1.8	-	-	-	1.7	-	-	-	1.9
5422	Delphinsalto + 1 Schraube	-	-	-	2.0	-	-	-	1.9	-	-	-	2.1
5432	1 ½ Delphinsalto + 1 Schraube	-	-	-	2.3	-	-	-	2.4	-	-	-	2.7
5434	1 ½ Delphinsalto + 2 Schrauben	-	-	-	2.7	-	-	-	2.8	-	-	-	3.1
5436	1 ½ Delphinsalto + 3 Schrauben	-	-	-	3.4	-	-	-	-	-	-	-	-
Handstandsprünge													
600	Handstandkopfsprung	1.6	-	-	-	1.6	-	-	-	1.5	-	-	-
611	½ Handstandsalto vorwärts	2.0	1.9	1.7	-	2.0	1.9	1.7	-	1.8	1.7	1.5	-
612	Handstandsalto vorwärts	2.0	1.9	1.7	-	1.9	1.8	1.6	-	1.8	1.7	1.5	-
614	Handstand Doppelsalto vorwärts	-	2.4	2.1	-	-	2.3	2.0	-	-	2.5	2.2	-
616	Handstand Dreifachsalto vorwärts	-	3.3	3.1	-	-	-	-	-	-	-	-	-
621	½ Handstandsalto rückwärts	1.9	1.8	1.6	-	1.9	1.8	1.6	-	1.7	1.6	1.4	-
622	Handstandsalto rückwärts	2.3	2.2	2.0	-	2.2	2.1	1.9	-	2.1	2.0	1.8	-
623	1 ½ Handstandsalto rückwärts	-	2.2	1.9	-	-	2.2	1.9	-	-	2.3	2.0	-
624	2 Handstandsalto rückwärts	3.0	2.8	2.5	-	2.9	2.7	2.4	-	3.1	2.9	2.6	-
626	3 Handstandsalto rückwärts	-	3.5	3.3	-	-	3.3	3.1	-	-	-	3.5	-
628	4 Handstandsalto rückwärts	-	4.7	4.5	-	-	-	-	-	-	-	-	-
631	½ Handstand Auerbachsalto	2.0	1.9	1.7	-	2.0	1.9	1.7	-	1.8	1.7	1.5	-
632	Handstand Auerbachsalto	-	2.3	2.1	-	-	2.2	2.0	-	-	2.1	1.9	-
633	1 ½ Handstand Auerbachsalto	-	2.3	2.0	-	-	2.3	2.0	-	-	2.4	2.1	-
634	2 Handstand Auerbachsalto	-	2.9	2.6	-	-	2.8	2.5	-	-	3.0	2.7	-
636	3 Handstand Auerbachsalto	-	3.6	3.4	-	-	-	3.2	-	-	-	-	-
638	4 Handstand Auerbachsalto	-	4.8	4.6	-	-	-	-	-	-	-	-	-
6122	Handstandsalto vw. + 1 Schraube	-	-	-	2.6	-	-	-	2.5	-	-	-	2.4
6124	Handstandsalto vw. + 2 Schr.	-	-	-	2.9	-	-	-	2.8	-	-	-	2.7
6142	2 Handstandsalto vw. + 1 Schr.	-	-	-	3.1	-	-	-	3.0	-	-	-	3.2
6144	2 Handstandsalto vw. + 2 Schr.	-	-	-	3.4	-	-	-	3.3	-	-	-	3.5
6162	3 Handstandsalto vw. + 1 Schr.	-	-	-	3.9	-	-	-	-	-	-	-	-
6221	Handstandsalto rw. + ½ Schraube	-	-	-	1.8	-	-	-	1.7	-	-	-	1.6
6241	2 Handstandsalto rw. + ½ Schr.	-	2.7	2.4	-	-	2.6	2.3	-	-	2.8	2.5	-
6243	2 Handstandsalto rw. + 1½ Schr.	-	-	-	3.2	-	-	-	3.1	-	-	-	3.3
6245	2 Handstandsalto rw. + 2½ Schr.	-	-	-	3.6	-	-	-	3.5	-	-	-	3.7
6247	2 Handstandsalto rw. + 3½ Schr.	-	-	-	4.0	-	-	-	-	-	-	-	-
6261	3 Handstandsalto + ½ Schraube	-	3.5	3.3	-	-	3.3	3.1	-	-	3.7	3.5	-
6263	3 Handstandsalto rw. + 1½ Schr.	-	4.2	4.0	-	-	-	-	-	-	-	-	-
6265	3 Handstandsalto rw. + 2½ Schr.	-	4.7	4.4	-	-	-	-	-	-	-	-	-